

USER MANAUL

WWW.VL.CO.TH

INTRODUCTION

DESCRIPTIONS


The Veda Series II - 18S from VL Audio designed to deliver an unprecedented combination of sound quality, portability and durability at it's price point. The subwoofers pack powerful low-frequency output into a surprisingly compact footprint and feature tuned 20mm. thick wood enclosures with a water based textured coatings finish. The Veda Series II - 18S using 18" low-frequency transducer employing a 302 (18") voice coil and neodymium magnet motor assembly.


FEATURE


- 97dB Sensitivity, 132dB maximum SPL
- System rating: 400W Continuous, 1600W Peak
- Designed to work with Veda Series II system



DIMENSIONS







USER MANAUL 1

APPLICATIONS



VERTICAL WITH STACKED VD-12L

CARDIOID GROUNDSTACK

STEREO SYSTEM WITH CENTER MONO SUB

USER MANAUL 2

TECHNICAL SPECIFICATIONS

SPECIFICATIONS

| FREQUENCY RESPONSE (-3dB) | 36Hz - 150kHz |
|---------------------------|--|
| FREQUENCY RANGE (-6dB) | 30Hz - 200kHz |
| MAX. CALCULATED SPL | 132dB |
| TRANSDUCER | |
| WOOFER TRANSDUCER | 18", 4" V.C. (18FW100) |
| SENSITIVITY @ 1w/1m | 97dB |
| NOMINAL IMPREDANCE | Ω8 |
| POWER HANDLIND | 400W (CONTINOUS), 1600 (PEAK) |
| INPUT/OUTPUT SECTION | |
| INPUT CONNECTOR | NEUTRIK NL4MP |
| OUTPUT CONNECTOR | NEUTRIK NL4MP |
| PHYSICAL SPECIFICATIONS | |
| CABINET/CASE MATERIAL | 20mm. PLYWOOD WITH WATER BASED TEXTURED COATINGS |
| HANDLES | 2 SIDE |
| POLE MOUNT/CAP | YES |
| GRILLE | STEEL 1.4mm |
| COLOR | BLACK |
| SIZE | |
| HEIGHT | 710mm |
| WIDTH | 620mm |
| DEPTH | 755mm |
| WEIGHT | 65kg |
| SHIPPING INFORMATIONS | |
| PACKAGE HEIGHT | 775mm |
| PACKAGE WIDTH | 685mm |
| PACKAGE DEPTH | 810mm |
| PACKAGE WEIGHT | 65kg |

USER MANAUL 3